

Refine Search

Search Results -

Terms	Documents
L20 and L14	25

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Search History

DATE: Friday, June 17, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L21</u>	L20 and l14	25	<u>L21</u>
<u>L20</u>	714/1,25,38,48,715,727,819.ccls.	3189	<u>L20</u>
<u>L19</u>	l17 and l14	21	<u>L19</u>
<u>L18</u>	L17 and l15	126	<u>L18</u>
<u>L17</u>	714/1,25,38,48,715.ccls.	2568	<u>L17</u>
<u>L16</u>	L15 and l14	5	<u>L16</u>
<u>L15</u>	717/124,126.ccls.	409	<u>L15</u>
<u>L14</u>	L13 and (map\$ or match) near5 expected\$	194	<u>L14</u>
<u>L13</u>	L12 and (compar\$ and (match\$ or map\$))	1556	<u>L13</u>
<u>L12</u>	(software or code\$ or modul\$) near8 (test\$ or verif\$) and (test\$ near4 (case\$ or scenario\$)) and result\$ and expected\$	2448	<u>L12</u>
<u>L11</u>	L10 and compar\$ and map\$ and expecte\$ and result\$	9	<u>L11</u>
<u>L10</u>	(test\$ or verif\$) near9 (software\$ near4 layer\$)	55	<u>L10</u>

DB=TDBD; PLUR=YES; OP=ADJ

L9 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) and
automatic\$ and (matrix\$ near9 mathematic\$) 0 L9

DB=DWPI; PLUR=YES; OP=ADJ

L8 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) and
automatic\$ and (matrix\$ near9 mathematic\$) 0 L8

DB=JPAB; PLUR=YES; OP=ADJ

L7 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) and
automatic\$ and (matrix\$ near9 mathematic\$) 0 L7

DB=EPAB; PLUR=YES; OP=ADJ

L6 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) and
automatic\$ and (matrix\$ near9 mathematic\$) 0 L6

DB=PGPB; PLUR=YES; OP=ADJ

L5 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) and
automatic\$ and (matrix\$ near9 mathematic\$) 15 L5

DB=USPT; PLUR=YES; OP=ADJ

L4 L3 and automatic\$ and (matrix\$ near9 mathematic\$) 10 L4

L3 (software\$ or module\$ Or block\$ or layer\$) near9 test\$ and matrix and
compar\$ and (match\$ or map\$) and expected\$ near4 (test\$ or result\$) 795 L3

L2 (software near4 layer\$) near9 test\$ and matrix and compar\$ and (match\$ or
map\$) and expected\$ near4 (test\$ or result\$) 1 L2

L1 (software near4 layer\$) near9 test\$ and matrix and compar\$ and (match\$ or
map\$) near9 expected\$ near4 (test\$ or result\$) 0 L1

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

test and software and layer and matrix and compare and map


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

test and software and layer and matrix and compare and map

Found 72,547 of 156,259

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**
Full text available: [pdf\(4.21 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [A software engineering perspective on algorithmics](#)

Karsten Weihe

March 2001 **ACM Computing Surveys (CSUR)**, Volume 33 Issue 1Full text available: [pdf\(1.62 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

An algorithm component is an implementation of an algorithm which is not intended to be a stand-alone module, but to perform a specific task within a large software package or even within several distinct software packages. Therefore, the design of algorithm components must also incorporate software-engineering aspects. A key design goal is adaptability. This goal is important for maintenance throughout a project, prototypical development, and reuse in new, unforeseen context ...

Keywords: algorithm engineering

3 [Proceedings of the SIGNUM conference on the programming environment for development of numerical software](#)

March 1979 **ACM SIGNUM Newsletter**, Volume 14 Issue 1Full text available: [pdf\(5.02 MB\)](#)Additional Information: [full citation](#)

4 [Software reuse](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

test and software and mathematical and automatic and matrix



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

test and **software** and **mathematical** and **automatic** and **matrix** and **compare** and **map**

Found **65,920** of
156,259

Sort results
by

relevance

[Save results to a Binder](#)

[Try an Advanced Search](#)

Display
results

expanded form

[Search Tips](#)

[Try this search in The ACM Guide](#)

☐ Open results in a new
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale

- 1 [Proceedings of the SIGNUM conference on the programming environment for development of numerical software](#)



March 1979 **ACM SIGNUM Newsletter**, Volume 14 Issue 1

Full text available: [pdf\(5.02 MB\)](#)

Additional Information: [full citation](#)

- 2 [A Survey of Interactive Graphical Systems for Mathematics](#)



Lyle B. Smith

December 1970 **ACM Computing Surveys (CSUR)**, Volume 2 Issue 4

Full text available: [pdf\(5.05 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 3 [Algorithm 777: HOMPAC90: a suite of Fortran 90 codes for globally convergent homotopy algorithms](#)



Layne T. Watson, Maria Sosonkina, Robert C. Melville, Alexander P. Morgan, Homer F. Walker
December 1997 **ACM Transactions on Mathematical Software (TOMS)**, Volume 23 Issue 4

Full text available: [pdf\(254.59 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Keywords: Chow-Yorke algorithm, curve tracking, fixed point

- 4 [Software reuse](#)




Charles W. Krueger

June 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 2

Full text available: [pdf\(4.96 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Software reuse is the process of creating software systems from existing software rather than building software systems from scratch. This simple yet powerful vision was introduced in 1968. Software reuse has, however, failed to become a standard software engineering practice. In an attempt to understand why, researchers have renewed their interest in software reuse and in the obstacles to implementing it. This paper surveys the different

[Skip to content](#)

Start new search [Search these results](#) [Search entire Web](#)

Search:

test and abstract and matrix and mathemat

search

[Help](#) [Advanced](#)

Tip: You may use accented Eur characters for a more exact ma

Examples: café, piñata

[Danish](#) - [German](#) - [English](#) - [Spanish](#) - [Finnish](#) - [French](#) - [Italian](#) - [Japanese](#) - [Korean](#) - [Dutch](#) - [Norwegian](#) - [Portuguese](#) - [Simplified Chinese](#) - [Traditional Chinese](#)

Results for: test and abstract and matrix and mathematics

Document count: test (28561) and (146906) abstract (31215) matrix (4266) mathematics (31215)

about 147317 results found,
top 500 sorted by relevance

[score using date](#) [hide summaries](#)
[group by location](#)

IEEECSS

... Journal of **Mathematics** of Control Signals and Systems ... selection criteria, plant **tests** and **test** signals, process parameter identification / validation ...

<http://www.ieeecss.org/PAB/eletter/archive/November2003.shtml> - 127.8KB - test: 3, and: 1, abstract: 3, matrix: 3, mathematics: 3

4

48%

07 Jun

[Find Sir](#)[Highlig](#)**IEEE Computer Society - Keywords - Mathematics of Computing**

... G.0 General G.1 Numerical Analysis G.2 Discrete **Mathematics** G.3 Probability and Statistics G.4 Mathematical Software G.m ... analysis G.1.3.e Linear systems G.1.3.f **Matrix** inversion G.1.3.g Pseudoinverses G.1.3.h Singular ...

<http://www.computer.org/mc/keywords/mathematics.htm> - 64.8KB - test: 3, and: 1, matrix: 1, mathematics: 18

46%

25 Nov

[Find Sir](#)[Highlig](#)**keywrd98**

... interference+ ==> Instead use Interchannel interference Admittance Admittance **matrix** Admittance measurement *Advanced TV+ ==> Instead use ... Ground support Aerospace industry Aerospace simulation Aerospace **test** facilities "Space vehicle **testing**" was used Aerospace ...

http://www.ieee.org/organizations/pubs/ani_prod/keywrd98.txt - 202.1KB - test: 5, and: 1, abstract: 1, matrix: 5, mathematics: 2

46%

10 Nov


[Find Sir](#)[Highlig](#)**A02MAR CD**

E:\DEBull\2002\March\mar02-d.dvi Bulletin of the Technical Committee on March 2002 Vol. 25 27 Mar No. 1 IEEE Computer Society Letters Letter from the Editor-in-Chief . .David Lomet 1 Letter

44%

[Find Sir](#)

[Skip to content](#)

 **IEEE**


[IEEE HOME](#) [SEARCH IEEE](#) [SHOP](#) [WEB ACCOUNT](#) [CONTACT](#)

[Membership](#) [Publications](#) [Services](#) [Standards](#) [Conferences](#) [Careers](#)

[Start new search](#) [Search these results](#) [Search entire Web](#)

Search:

[Help](#) [Advanced](#)

Powered by 

Did you know... You can search using alphanumeric terms.

Example: 100base-T Ethernet

[Danish](#) - [German](#) - [English](#) - [Spanish](#) - [Finnish](#) - [French](#) - [Italian](#) - [Japanese](#) - [Korean](#) - [Dutch](#) - [Norwegian](#) - [Portuguese](#) - [Simplified Chinese](#) - [Traditional Chinese](#)

Results for: test and matrix and compare and map and software

Document count: test (28561) and (146906) matrix (4266) compare (11915) map (19867) software (27105) test and matrix and compare and software (1)

about 147164 results found,
top 500 sorted by relevance

[score using date](#) [hide summaries](#)
[group by location](#)

Revealed Causal Mapping As an Evocative Method for Information Systems Research

... areas such as IS expertise, they cannot be used to test emergent theory. The theory must be transformed into testable hypotheses ... 20], or through a research interview process. A revealed causal map (RCM) can be defined as the network of causal relations ...

48%
05 Nov
[Find Sir](#)
[Highlight](#)

<http://csdl2.computer.org/comp/proceedings/hicss/2000/0493/07/04937046.pdf> - 89.7KB - test: 5, and: 1, matrix: 5, compare: 1, map: 20, software: 5

HackNotes : Web Security Portable Reference

HackNotes : Web Security Portable Reference HACKNOTES™ Web Security Portable Reference HACKNOTES™ Web Security Portable Reference HACKNOTES™ Web Security Portable Reference HACKNOTES™ Web Security Portable Reference ...

46%
06 Apr
[Find Sir](#)
[Highlight](#)

<http://www.ewh.ieee.org/r10/kerala/paper/frontiers/Hacknotes.pdf> - 3431.2KB - test: 5, and: 1, matrix: 4, compare: 4, map: 5, software: 5

doc.: IEEE 802.11-04/1055r0

doc.: IEEE 802.11-04/1055r0 Sept 2004 doc.: IEEE 802.11-04/1055r0 IEEE P802.11 Wireless LANs Tentative Minutes of the IEEE P802.11 Full Working Group Sept 13 -17, 2004 Estrel Hotel, Berlin, Germany 9 th Joint 802 ...

45%
29 Nov
[Find Sir](#)
[Highlight](#)

http://grouper.ieee.org/groups/802/11/Minutes/Cons_Minutes_Sept-2004.pdf - 2917.6KB - test: 3, and: 1, matrix: 5, compare: 4, map: 4, software: 2

Refine Search

Search Results -

Terms	Documents
L15 and (layer\$ or block\$ or code\$ or module\$) near9 (relat\$ or link\$) near9 matrix\$	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Search History

DATE: Thursday, June 16, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L19</u>	l15 and (layer\$ or block\$ or code\$ or module\$) near9 (relat\$ or link\$) near9 matrix\$	0	<u>L19</u>
<u>L18</u>	l15 and (layer\$ or block\$ or code\$ or module\$) near9 (relat\$ or link\$)	1	<u>L18</u>
<u>L17</u>	l15 and (layer\$ or block\$ or code\$ or module\$) ner9 relat\$	0	<u>L17</u>
<u>L16</u>	L15 and (matrix\$ or math\$) near9 (code\$ or layer\$ or software\$ or block\$)	1	<u>L16</u>
<u>L15</u>	6671874.pn.	1	<u>L15</u>
<u>L14</u>	l1 and (math\$ or arithmetic\$)	0	<u>L14</u>
<u>L13</u>	l1 and mathematic\$	0	<u>L13</u>
<u>L12</u>	l1 and matrix near9 (software\$ or block\$ or code\$ or program\$ or component\$ or modul\$)	1	<u>L12</u>
<u>L11</u>	l1 and (functional near4 block\$)	1	<u>L11</u>
<u>L10</u>	l1 and (multi\$ Or plural\$ or many\$) near9 (block\$ or program\$ or code\$ or software\$ or layer\$ or component\$ or modul\$)	1	<u>L10</u>

<u>L9</u>	l1 and (multi\$ Or plural\$ or many\$) near9 (block\$ or program\$ or code\$ or software\$ or layer\$)	1	<u>L9</u>
<u>L8</u>	l1 and (multi\$ Or plural\$ or many\$)	1	<u>L8</u>
<u>L7</u>	l1 and matrix\$ near9 (software\$ or code\$ or program\$ or layer\$)	1	<u>L7</u>
<u>L6</u>	l1 and matrix\$ near8 (software\$ or code\$ or layer\$)	1	<u>L6</u>
<u>L5</u>	l1 and (match\$ or map\$) and expect\$	1	<u>L5</u>
<u>L4</u>	l1 and (compar\$ near5 test\$)	1	<u>L4</u>
<u>L3</u>	L2 and matrix\$	1	<u>L3</u>
<u>L2</u>	L1 and (evaluat\$ near4 test\$)	1	<u>L2</u>
<u>L1</u>	6173440.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L32 and L23	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L33

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Thursday, June 16, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L33</u>	L32 and l23	0	<u>L33</u>
<u>L32</u>	714/37,38,48,715,723.ccls.	2146	<u>L32</u>
<u>L31</u>	L30 and l23	0	<u>L31</u>
<u>L30</u>	717/124/126.ccls.	0	<u>L30</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>			
<u>L29</u>	matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) and (matrix\$ near4 math\$) and (test\$ near8 matrix\$)	0	<u>L29</u>
<i>DB=DWPI; PLUR=YES; OP=ADJ</i>			
<u>L28</u>	matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) and (matrix\$ near4 math\$) and (test\$ near8 matrix\$)	0	<u>L28</u>
<i>DB=JPAB; PLUR=YES; OP=ADJ</i>			
<u>L27</u>	matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) and (matrix\$ near4 math\$) and (test\$ near8 matrix\$)	0	<u>L27</u>

DB=EPAB; PLUR=YES; OP=ADJ

L26 matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) and (matrix\$ near4 math\$) and (test\$ near8 matrix\$) 0 L26

DB=PGPB; PLUR=YES; OP=ADJ

L25 matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) and (matrix\$ near4 math\$) and (test\$ near8 matrix\$) 0 L25

DB=USPT; PLUR=YES; OP=ADJ

L24 L23 and (test\$ near9 matrix\$) 11 L24

L23 l20 and (evaluat\$ near4 test\$) 53 L23

L22 L21 and (test\$ near8 matrix\$) 3 L22

L21 L20 and (matrix\$ near4 math\$) 14 L21

L20 matrix\$ near5 (layer\$ or modul\$ or software\$ or code\$) near9 (plural\$ or mult\$) 2649 L20

L19 l15 and (layer\$ or block\$ or code\$ or module\$) near9 (relat\$ or link\$) near9 matrix\$ 0 L19

L18 l15 and (layer\$ or block\$ or code\$ or module\$) near9 (relat\$ or link\$) 1 L18

L17 l15 and (layer\$ or block\$ or code\$ or module\$) ner9 relat\$ 0 L17

L16 L15 and (matrix\$ or math\$) near9 (code\$ or layer\$ or software\$ or block\$) 1 L16

L15 6671874.pn. 1 L15

L14 l1 and (math\$ or arithmetic\$) 0 L14

L13 l1 and mathematic\$ 0 L13

L12 l1 and matrix near9 (software\$ or block\$ or code\$ or program\$ or component\$ or modul\$) 1 L12

L11 l1 and (functional near4 block\$) 1 L11

L10 l1 and (multi\$ Or plural\$ or many\$) near9 (block\$ or program\$ or code\$ or software\$ or layer\$ or component\$ or modul\$) 1 L10

L9 l1 and (multi\$ Or plural\$ or many\$) near9 (block\$ or program\$ or code\$ or software\$ or layer\$) 1 L9

L8 l1 and (multi\$ Or plural\$ or many\$) 1 L8

L7 l1 and matrix\$ near9 (software\$ or code\$ or program\$ or layer\$) 1 L7

L6 l1 and matrix\$ near8 (software\$ or code\$ or layer\$) 1 L6

L5 l1 and (match\$ or map\$) and expect\$ 1 L5

L4 l1 and (compar\$ near5 test\$) 1 L4

L3 L2 and matrix\$ 1 L3

L2 L1 and (evaluat\$ near4 test\$) 1 L2

L1 6173440.pn. 1 L1

END OF SEARCH HISTORY


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

testing and abstraction and matrix and compare and expected



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

testing and abstraction and matrix and compare and expected and map

Found 82,538 of 156,259

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)

Display results

expanded form


[Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 181 - 200 of 200

 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

181 [Statistical geometry representation for efficient transmission and rendering](#)



Aravind Kalaiah, Amitabh Varshney

 April 2005 **ACM Transactions on Graphics (TOG)**, Volume 24 Issue 2

 Full text available: [pdf \(16.46 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Traditional geometry representations have focused on representing the details of the geometry in a deterministic fashion. In this article we propose a statistical representation of the geometry that leverages local coherence for very large datasets. We show how the statistical analysis of a densely sampled point model can be used to improve the geometry bandwidth bottleneck, both on the system bus and over the network as well as for randomized rendering, without sacrificing visual realism. Our s ...

Keywords: Point-based rendering, network graphics, principal component analysis, programmable GPU, progressive transmission, quasi-random numbers, view-dependent rendering

182 [Bayesian inference for transductive learning of kernel matrix using the Tanner-Wong data augmentation algorithm](#)



Zhihua Zhang, Dit-Yan Yeung, James T. Kwok

 July 2004 **Twenty-first international conference on Machine learning**

 Full text available: [pdf \(175.71 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

In kernel methods, an interesting recent development seeks to learn a good kernel from empirical data automatically. In this paper, by regarding the transductive learning of the kernel matrix as a missing data problem, we propose a Bayesian hierarchical model for the problem and devise the Tanner-Wong data augmentation algorithm for making inference on the model. The Tanner-Wong algorithm is closely related to Gibbs sampling, and it also bears a strong resemblance to the expectation-maximization ...

183 [Technical papers: Aiding knowledge capture by searching for extensions of knowledge models](#)



David B. Leake, Ana Maguitman, Thomas Reichherzer, Alberto J. Cañas, Marco Carvalho, Marco Arguedas, Sofia Brenes, Tom Eskridge

 October 2003 **Proceedings of the international conference on Knowledge capture**

 Full text available: [pdf \(458.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)